

TRIPURA GAZETTE



Published by Authority

EXTRAORDINARY ISSUE

Agartala, Wednesday, March 1, 2023 A. D., Phalguna 10, 1944 S. E.

PART--I-- Orders and Notifications by the Government of Tripura,
The High Court, Government Treasury etc.

**GOVERNMENT OF TRIPURA
OFFICE OF THE COLLECTOR OF EXCISE
WEST TRIPURA DISTRICT**

No.2735-2804/F.XIV-1(12)/CEW/2020

Dated, Agartala, the 27th February, 2023.

NOTIFICATION

Whereas, date of Counting of Votes of the General Election to Tripura Legislative Election 2023 is scheduled on **02-03-2023**;

AND

Whereas, the Commissioner of Excise, Government of Tripura, Agartala vide letter No.F.IV-5(6)-EX/2022/438-45 dated 27/02/2023 requested to declare dry day prior to date of counting i.e. on 01-03-2023, in addition to the day of counting notified previously vide Notification No.2401-60 /F.XIV-1(12)/CEW/2020 dated-03-02-2023;

AND

Whereas, with an objective to ensure law and order situation to maintain peace and tranquility under West Tripura District, it is necessary to keep all existing retail Foreign Liquor Shops, Country Liquor Shops and Bar Shops, Distilleries and Warehouses closed on 01-03-2023 and also on the day of counting.

Now, therefore, in exercise of powers conferred under sub-section (1) of Section 24 of the Tripura Excise Act.1987, it is hereby notified for general information that all Distillery Units, Warehouses of Foreign and Country Liquor, all Foreign Liquor Shops, Country Liquor Shops and licensed Bars, Distilleries, Warehouses under West Tripura District shall remain closed from **01/03/2023 to 02-03-2023** in West Tripura District and **declare these days as "Dry Day"**.

The contents of this order should be strictly adhered by all concerned.

(Signature)
27/02/23
(D. Bardhan, IAS)
Collector of Excise
West Tripura District

To

All the licensees of existing retail Foreign liquor shops, Country liquor shops and licensed Bars under West Tripura District for information and strict compliance.

Printed at the Tripura Government Press, Agartala.